



Electric Service Schedule 4

Security Outdoor Lighting

APPLICABILITY: Applicable to all customers for outdoor area lighting service furnished from dusk to dawn with City-owned lamps in luminaires supplied from City's overhead or underground electric circuits and mounted on City-owned poles.

RATES:

- | | |
|--|---------|
| 1. Per Lamp (150 Watt), per billing period | \$14.55 |
| 2. Per Lamp (400 Watt), per billing period | \$23.28 |

SERVICE SPECIFICATIONS: Each lamp will be a 150 watt or 400 watt high pressure sodium luminaire and will be mounted on an existing pole at which the required voltage is available and owned by the City with a mast arm bracket not to exceed four feet in length. The type and kind of fixture and supports will be in accordance with City specifications. Service includes electric energy supplied from City's overhead or underground electric system, routine maintenance and lamp and glassware renewals. Lamps will be controlled by photo-electric device or other means to burn each night from dusk to dawn.

SPECIAL CONDITIONS:

1. If suitable facilities as described above do not exist at the customer's desired location, customer may at customer's option direct the City to install suitable facilities entirely at customer's cost. These advanced monies will be treated as a non-refundable contribution in aid of construction. City will retain ownership of pole, luminaires, photo cell, support arm and lamp for operations and maintenance purposes.
2. All poles, luminaires, photo cells, support arms and lamps will be owned and maintained by the City. The City will replace burned out lamps and otherwise maintain City-owned facilities during regular daytime working hours within 10 working days following notification of maintenance requirements by the customer. Service under this schedule will be on an annual basis and provide service for approximately 4,100 hours per year per lamp.
3. The City will, at its own expense, install, operate, and maintain its standard overhead outdoor lighting equipment. Equipment shall consist of an open-type fixture, photo-electric switch control and a support mounted on a City-owned and approved pole at which the required voltage is available. (See subsection 1 above)
4. The customer shall obtain proper approval and rights-of-way for equipment to be located on public thoroughfares or private property, and shall obtain all proper permits and rights-of-way across public or private property. These permits and rights-of-way will be in the City's name.
5. Customers served on this rate schedule prior to October 12, 2004 will continue with pre-existing installed mercury vapor luminaires, at the City's discretion, until such time as City elects to

(continued)



Electric Service Schedule 1 - Continued

change the luminaire to a high pressure sodium luminaire. Monthly charges for 175 watt mercury vapor lighting equipment will correspond with the charges for 150 watt high pressure sodium lighting equipment, as defined in this rate schedule. Monthly charges for 400 watt mercury vapor lighting equipment will correspond with the charges for 400 watt high pressure sodium lighting equipment, as defined in this rate schedule.

6. The City may require a contract for service under this schedule of not less than three years. Service under this schedule will be in accordance with the terms and conditions of the security outdoor lighting agreement between the customer and the City.